



**B2-1
BATTERYBOX**



B2-1 BATTERYBOX

LAUNCH



Plug & Play
Compatible with X-431 Throttle, X-431 Station,
X-431 PADIII, x-431 PADII

Launch B2-1 Batterybox adopts currently the world's most advanced conductance testing technology to easily, quickly and accurately measure the actual cold cranking amps capability of the vehicle starting battery, healthy state of the battery itself, and common fault of the vehicle starting system and charging system.



Features

- | Test all automotive cranking lead acid battery, including ordinary lead acid battery, AGM flat plate battery, AGM spiral battery, Gel battery and EFB battery, etc
- | Directly detect bad cell battery
- | Polarity reverse connection protection, reverse connection will not damage the tester or affect the vehicle and battery
- | Directly test the battery with loss of electricity, no need to full charge before testing
- | Testing standards include currently the world's majority of battery standards, CCA, BCI, CA, MCA, JIS, DIN, IEC, EN, SAE and GB
- | Report could be sent via Email and support online checking

Specifications

- | Working Voltage: 9V~18V DC
- | Working Temperature: -20°~50°
- | Storage Temperature: -30°~70°
- | Certification: CE, FCC, Rohs
- | CCA: 100~2000
- | DIN: 100~1400
- | JIS: 26A17~245H52
- | EN: 100~2000
- | IEC: 100~1400
- | GB: 100~1400
- | SAE: 100~2000