

<p>DO157 Qty: 1</p>  <p>WPS500X pressure transducer manual</p>	<p>DO336 Qty: 1</p>  <p>PicoScope 4225A and 4425A Safety Guide</p>	<p>MI121 Qty: 1</p>  <p>USB 2.0 Cable: PicoScope - blue, 4.5m</p>	<p>MI168 Qty: 2</p>  <p>S hook</p>	<p>PA038 Qty: 2</p>  <p>QuadroPack telescopic plastic case</p>	<p>PA094 Qty: 1</p>  <p>WPS500X carrying case</p>
<p>PA210 Qty: 1</p>  <p>Carry Case:4425A Heavy Duty Case</p>	<p>PP972 Qty: 1</p>  <p>Vacuum tap for WPS500X</p>	<p>PP973 Qty: 1</p>  <p>Fuel hose pressure tap for WPS500X (small)</p>	<p>PP974 Qty: 1</p>  <p>Fuel hose pressure tap for WPS500X (Medium)</p>	<p>PQ174 Qty: 1</p>  <p>PicoScope 4425A 4ch Scope only, w/USB cable</p>	<p>TA003 Qty: 2</p>  <p>Small crocodile clip - black</p>
<p>TA004 Qty: 2</p>  <p>Small crocodile clip - red</p>	<p>TA005 Qty: 1</p>  <p>Large Dolphin Clip 1000v CATIII - black</p>	<p>TA006 Qty: 1</p>  <p>Large Dolphin Clip 1000v CATIII - red</p>	<p>TA008 Qty: 1</p>  <p>Back-Pinning Probe set</p>	<p>TA012 Qty: 1</p>  <p>2 wire break out lead</p>	<p>TA016 Qty: 1</p>  <p>4mm shrouded to unshrouded adaptor black</p>
<p>TA017 Qty: 4</p>  <p>4mm shrouded to unshrouded adaptor - red</p>	<p>TA034 Qty: 1</p>  <p>ATC/ATO Fuse Extension Lead</p>	<p>TA035 Qty: 1</p>  <p>Mini Fuse Extension Lead</p>	<p>TA037 Qty: 4</p>  <p>HT extension lead</p>	<p>TA069 Qty: 1</p>  <p>CAN test box only (no adaptors)</p>	<p>TA071 Qty: 1</p>  <p>WPS500X</p>
<p>TA081 Qty: 1</p>  <p>Charging Cable: USB A male to mini 5 pin 2m</p>	<p>TA083 Qty: 1</p>  <p>Fuel pressure test hose for WPS500, large Schrader valve</p>	<p>TA085 Qty: 1</p>  <p>Vacuum hose adapter for WPS500X</p>	<p>TA086 Qty: 1</p>  <p>PicoScope WPS500X Bleed hose</p>	<p>TA087 Qty: 1</p>  <p>Exhaust adapter for WPS500X</p>	<p>TA089 Qty: 1</p>  <p>Shrouded 4mm to Sprung hook - black</p>

<p>TA090 Qty: 1</p> <p>Shrouded 4mm to Sprung hook - red</p>	<p>TA106 Qty: 1</p> <p>Earth Wire for coil pack 45cm long</p>	<p>TA117 Qty: 1</p> <p>Fuel pressure test hose, small Schrader valve</p>	<p>TA129 Qty: 1</p> <p>Universal vacuum hose adapter</p>	<p>TA130 Qty: 1</p> <p>Cable: insulated BNC to insulated BNC 5m</p>	<p>TA142 Qty: 1</p> <p>Foster 2 series 1/8" coupler w/valve, male NPT</p>
<p>TA157 Qty: 2</p> <p>Battery clip 4mm socket (red)</p>	<p>TA158 Qty: 2</p> <p>Battery clip 4mm socket (black)</p>	<p>TA161 Qty: 4</p> <p>Flexible back pinning probe (black)</p>	<p>TA162 Qty: 4</p> <p>Flexible back pinning probe (red)</p>	<p>TA166 Qty: 1</p> <p>Large hose adapter</p>	<p>TA168 Qty: 1</p> <p>JCASE Fuse Extension Lead</p>
<p>TA190 Qty: 1</p> <p>2-pin ACS Connector breakout lead</p>	<p>TA191 Qty: 1</p> <p>3 pin Kostal Connector breakout lead</p>	<p>TA194 Qty: 1</p> <p>2 pin Kostal Connector breakout lead</p>	<p>TA206 Qty: 1</p> <p>Maxi Fuse Extension Lead</p>	<p>TA212 Qty: 1</p> <p>Standard compression hose (for WPS500X, w/universal tip)</p>	<p>TA213 Qty: 1</p> <p>M10 Short Reach Adaptor for Standard Compression Hose (TA212)</p>
<p>TA214 Qty: 1</p> <p>M10 Deep Reach Adaptor for Standard Compression Hose (TA212)</p>	<p>TA216 Qty: 1</p> <p>M12 Deep Reach Adaptor for Standard Compression Hose (TA212)</p>	<p>TA217 Qty: 1</p> <p>M14 Short Reach Adaptor for Standard Compression Hose (TA212)</p>	<p>TA218 Qty: 1</p> <p>M14 Deep Reach Adaptor for Standard Compression Hose (TA212)</p>	<p>TA219 Qty: 1</p> <p>M16 Ford Triton Adaptor for Standard Compression Hose (TA212)</p>	<p>TA220 Qty: 1</p> <p>M18 Short Reach Adaptor for Standard Compression Hose (TA212)</p>
<p>TA224 Qty: 1</p> <p>Adaptor AST to WPS500X compression hose</p>	<p>TA229 Qty: 1</p> <p>Adapter for WPS500X to AST equipment</p>	<p>TA250 Qty: 1</p> <p>WPS500X Adaptor Kit B</p>	<p>TA267 Qty: 1</p> <p>3-pin AMP superseal connector breakout lead</p>	<p>TA310 Qty: 2</p> <p>Multimeter style probe 1000V CAT III (black)</p>	<p>TA311 Qty: 2</p> <p>Multimeter style probe 1000V CAT III (red)</p>

<p>TA329 Qty: 1</p>  <p>Ultrasonic parking sensor detector</p>	<p>TA330 Qty: 1</p>  <p>Keyless entry carrier signal detector</p>	<p>TA388 Qty: 1</p>  <p>PicoBNC+ Current Clamp: 2000A AC/DC</p>	<p>TA395 Qty: 1</p>  <p>PicoBNC+ wide-range linear temperature probe</p>	<p>TA397 Qty: 4</p>  <p>PicoBNC+ Secondary Ignition Pickup</p>	<p>TA398 Qty: 1</p>  <p>PicoBNC+ Coil On Plug (COP) & Signal Probe</p>
<p>TA404 Qty: 1</p>  <p>PicoBNC+ Test Lead: 4mm permanent ground, 3m Blue</p>	<p>TA405 Qty: 1</p>  <p>PicoBNC+ Test Lead: 4mm permanent ground 3m, Red</p>	<p>TA406 Qty: 1</p>  <p>PicoBNC+ Test Lead: 4mm permanent ground 3m, Green</p>	<p>TA407 Qty: 1</p>  <p>PicoBNC+ Test Lead: 4mm permanent ground 3m, Yellow</p>	<p>TA432 Qty: 1</p>  <p>PicoBNC+ Resistance Test Lead</p>	<p>TA473 Qty: 2</p>  <p>PicoBNC+ Current Clamp: 60A AC/DC</p>
<p>TA506 Qty: 4</p>  <p>PicoBNC+ 10:1 Attenuating Test Lead</p>	<p>TA513 Qty: 1</p>  <p>Set of 5 Pico Insulation piercing probes</p>	<p>TA514 Qty: 1</p>  <p>PicoScope Professional Breakout Lead set</p>			